

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

**1.1 Product identifier**

14 NATURE EXT. FULL GLOSS LINSEED LACQ.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Topcoat

**1.3 Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/only representative/downstream user/distributor)**

Home Made By Netherlands B.V.

**Street :** Jan van Gentstraat 20

**Postal code/city :** 1171 GL BADHOEVEDORP

**Telephone :** 020-4711734

**Information contact :** klantenservice@homemadeby.nl

**1.4 Emergency Telephone Number:**

020-4711735 Outside office hours: call a Poison Center or doctor/physician.

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Flam. Liq. 3 ; H226 - Flammable liquids : Category 3 ; Flammable liquid and vapour.

**Classification procedure**

H226: Obtained based on test data

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



Flame (GHS02)

**Signal word**

Warning

**Hazard statements**

H226 Flammable liquid and vapour.

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P303+P361+P353 If on skin or hair: remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: use alcohol resistant foam, carbon dioxide (CO<sub>2</sub>), extinguishing powder, sand

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

P403+P235 and water mist for extinction.  
Store in a well-ventilated place. Keep cool.

### Special rules for supplemental label elements for certain mixtures

EUH208 Contains TURPENTINE, OIL ; 2-BUTANONE OXIME. May produce an allergic reaction.

## 2.3 Other hazards

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids, or laid out flat in a single layer to dry, or placed in a closed metal container soaked with water. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; EC No. : 919-857-5; CAS No. : 1174522-20-3

Weight fraction :  $\geq 10 - < 20$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 STOT SE 3 ; H336

NAPHTHA (PETROLEUM), HEAVY ALKYLATE ; EC No. : 265-067-2; CAS No. : 64741-65-7

Weight fraction :  $\geq 2,5 - < 10$  %  
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ; EC No. : 265-150-3; CAS No. : 64742-48-9

Weight fraction :  $\geq 2,5 - < 10$  %  
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

TURPENTINE, OIL ; EC No. : 232-350-7; CAS No. : 8006-64-2

Weight fraction :  $\geq 0,1 - < 1$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 Acute Tox. 4 ; H332 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

2-ETHYLHEXANOIC ACID, ZIRCONIUM SALT ; REACH No. : 01-2119979088-21 ; EC No. : 245-018-1; CAS No. : 22464-99-9

Weight fraction : < 1 %  
Classification 1272/2008 [CLP] : Repr. 2 ; H361d

2-BUTANONE OXIME ; EC No. : 202-496-6; CAS No. : 96-29-7

Weight fraction :  $\geq 0,1 - < 1$  %  
Classification 1272/2008 [CLP] : Carc. 2 ; H351 Eye Dam. 1 ; H318 Acute Tox. 4 ; H312 Skin Sens. 1 ; H317

#### Additional information

Full text of H- and EUH-phrases: see section 16.

### Components according to regulation (EG) Nr. 648/2004

None

## SECTION 4: First aid measures

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

### 4.1 Description of first aid measures

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

## Following inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

## In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not use solvents or diluting agents for skin cleaning. When in doubt or if symptoms are observed, get medical advice.

## After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

## After ingestion

Rinse mouth thoroughly with water. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

## Self-protection of the first aider

First aider: Pay attention to self-protection!

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Sand Water mist.

#### Unsuitable extinguishing media

Strong water jet

### 5.2 Special hazards arising from the substance or mixture

None

### 5.3 Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses. Cool endangered containers with water in case of fire. Wear a self-contained breathing apparatus and chemical protective clothing.

#### Special protective equipment for firefighters

Heating causes rise in pressure with risk of bursting. Hazardous combustion products Carbon monoxide Carbon dioxide (CO<sub>2</sub>) (dense) black smoke, Organic acids aldehydes.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Use appropriate container to avoid environmental contamination. Keep away from sources of ignition - No smoking.

### 6.3 Methods and material for containment and cleaning up

Prevent leaks and prevent soil / water pollution caused by leaks. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

## 6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection SECTION 13: Disposal considerations

## SECTION 7: Handling and storage

Take care for general good hygiene and housekeeping.

### 7.1 Precautions for safe handling

Protective measures When using do not eat, drink, smoke, sniff. Wash hands before eating, drinking or smoking. Immediately remove any contaminated clothing, shoes or stockings.

#### Protective measures

##### Measures to prevent fire

Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Provide earthing of containers, equipment, pumps and ventilation facilities. No sparking tools should be used. Remove all sources of ignition. With finely divided hot particles, there is a risk of self-ignition. For example, the product contained in, for example, sawdust, clothing or insulation material may catch fire spontaneously. Keep fireproof, if contained in special oil absorbers or in clothing (risk of self-ignition). Avoid flammable, open flames.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Always close containers tightly after the removal of product. Never use pressure to empty container. Keep container tightly closed and in a well-ventilated place. Keep only in the original container at temperature not exceeding 40 °C.

#### Further information on storage conditions

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL-/PNEC-values

##### DNEL/DMEL

Limit value type :	DNEL Consumer (systemic) ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	= 125 mg/kg
Safety factor :	24 h
Limit value type :	DNEL Consumer (systemic) ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )
Exposure route :	Inhalation
Limit value :	= 185 mg/m <sup>3</sup>
Safety factor :	24 h
Limit value type :	DNEL Consumer (systemic) ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )
Exposure route :	Oral
Limit value :	= 125 mg/kg
Safety factor :	24 h
Limit value type :	DNEL worker (systemic) ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : = 208 mg/kg  
Safety factor : 24 h  
Limit value type : DNEL worker (systemic) ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : = 871 mg/m<sup>3</sup>  
Safety factor : 8 h

## 8.2 Exposure controls

### Appropriate engineering controls

Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

### Personal protection equipment

#### Eye/face protection

##### Suitable eye protection

Wear chemical resistant protective eye glasses.

#### Skin protection

Only wear fitting, comfortable and clean protective clothing. Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

#### Hand protection

Suitable gloves type NBR (Nitrile rubber) Thickness > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min. CR (polychloroprene, chloroprene rubber) Thickness > 0,25 mm; Breakthrough time (maximum wearing time) 60 - 120 min. Check protective gloves before each use concerning their normal condition.

#### Respiratory protection

Wear a respirator conforming to EN140 with Type A/P2 filter or better. Wear self-contained respirator during spray application.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Colour :** No information available.

**Odour :** Noticeable.

#### Safety characteristics

<b>Physical state :</b>		Liquid
<b>Melting point/freezing point :</b>		not relevant
<b>Freezing point :</b>		not relevant
<b>Initial boiling point and boiling range :</b>		No data available
<b>Decomposition temperature :</b>		No data available
<b>Flash point :</b>	approx.	41 °C
<b>Lower explosion limit :</b>		g/m <sup>3</sup>
<b>Lower explosion limit :</b>		No data available
<b>Upper explosion limit :</b>		No data available
<b>Density - dependent of color:</b>	( 20 °C )	0,93 - 0,95 g/cm <sup>3</sup>
<b>Bulk density :</b>		No data available
<b>Relative density :</b>	( 20 °C )	0,92 - 0,94 (Water = 1)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

<b>Solvent separation test :</b>	( 20 °C )	<	3	%
<b>Water solubility :</b>	( 20 °C )		No data available	
<b>log P O/W :</b>			No data available	
<b>Flow time :</b>	( 23 °C )	=	200	s ISO cup 6 mm
<b>Viscosity :</b>	( 20 °C )	approx.	950	mPa*s
<b>Cinematic viscosity :</b>	( 40 °C )		No data available	
<b>Odour threshold :</b>			No data available	
<b>Relative vapour density :</b>	( 20 °C )		No data available	
<b>Vapourisation rate :</b>			No data available	
<b>VOC-value :</b>		approx.	296	g/l VOC
<b>Flammable solids :</b>	Not applicable.			
<b>Flammable gases :</b>	Not applicable.			
<b>Oxidising liquids :</b>	Not relevant.			
<b>Explosive properties :</b>	Not relevant.			

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

No information available.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No information available.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Parameter : LD50 ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 5000 mg/kg  
Method : OECD 401

##### Acute dermal toxicity

Parameter : LD50 ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )  
Exposure route : Dermal

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

Species : Rabbit  
Effective dose : > 5000 mg/kg  
Exposure time : 24 h  
Method : OECD 402

**Acute inhalation toxicity**

Parameter : LC50 ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : > 5000 mg/kg  
Exposure time : 8 h  
Method : OECD 403

**Corrosion**

**Skin corrosion/irritation**

No information available.

**Serious eye damage/eye irritation**

No information available.

**Irritation to respiratory tract**

No information available.

**Respiratory or skin sensitisation**

**Skin sensitisation**

No information available.

**Sensitisation to the respiratory tract**

No information available.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Carcinogenicity**

No information available.

**Germ cell mutagenicity**

No information available.

**Reproductive toxicity**

No information available.

**STOT-single exposure**

No information available.

**STOT SE 3**

Parameter : STOT SE 3 ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Exposure route : Inhalative

**STOT-repeated exposure**

No information available.

**Aspiration hazard**

No information available.

**11.2 Toxicokinetics, metabolism and distribution**

**Human toxicological data**

Inhalation/eye contact: in high concentrations irritating to the mucous membranes, narcotic effect and influence on power of reaction and loss of coordination possible. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation of vapours in high concentrations may lead to headache, giddiness and nausea.

**SECTION 12: Ecological information**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

## 12.1 Toxicity

### Aquatic toxicity

#### Acute (short-term) fish toxicity

Parameter : Acute (short-term) fish toxicity ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Oncorhynchus mykiss (Rainbow trout)

Effective dose : > 1000 mg/l

Exposure time : 96 h

Method : OECD 203

Parameter : NOELR ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Chronic (long-term) daphnia toxicity

Effective dose : = 0,23 mg/l

Exposure time : 504 h

Parameter : NOELR ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Oncorhynchus mykiss (Rainbow trout)

Evaluation parameter : Chronic (long-term) fish toxicity

Effective dose : = 0,13 mg/l

Exposure time : 672 h

#### Acute (short-term) toxicity to crustacea

Parameter : Acute (short-term) daphnia toxicity ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Daphnia magna (Big water flea)

Effective dose : > 1000 mg/l

Exposure time : 48 h

Method : OECD 202

Parameter : NOELR ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Pseudokirchneriella subcapitata

Evaluation parameter : Inhibition of biomass development

Effective dose : = 3 mg/l

Exposure time : 72 h

Method : OECD 201

Parameter : NOELR ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Pseudokirchneriella subcapitata

Evaluation parameter : Inhibition of growth rate

Effective dose : = 100 mg/l

Exposure time : 72 h

Method : OECD 201

#### Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : Acute (short-term) algae toxicity ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )

Species : Pseudokirchneriella subcapitata

Effective dose : > 1000 mg/l

Exposure time : 72 h

Method : OECD 201

#### Toxicity to microorganisms



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

**Parameter :** Bacteria toxicity ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )  
**Effective dose :** > 100 mg/l

## 12.2 Persistence and degradability

### Biodegradation

**Parameter :** Biodegradation ( HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS ; CAS No. : 1174522-20-3 )  
**Effective dose :** = 80 %  
**Exposure time :** 672 h  
**Method :** OECD 301F

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 13.1 Waste treatment methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

### 14.1 UN number

UN 1263

### 14.2 UN proper shipping name

**Land transport (ADR/RID)**

PAINT

**Sea transport (IMDG)**

PAINT

**Air transport (ICAO-TI / IATA-DGR)**

PAINT

### 14.3 Transport hazard class(es)

**Land transport (ADR/RID)**

**Class(es) :** 3  
**Classification code :** F1

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

Trade name : 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
Revision date : 22.04.2020  
Print date : 14-07-2020

Version (Revision) : 2.1.0 (2.0.0)

**Hazard identification number (Kemler No.) :** 30  
**Tunnel restriction code :** D/E  
**Special provisions :** LQ 5 I · E 1 · Transport in containers with max. 450 litres contents are not subject to the regulations of ADR/RID.

**Hazard label(s) :**



3

**Sea transport (IMDG)**

**Class(es) :** 3  
**EmS-No. :** F-E / S-E  
**Special provisions :** LQ 5 I · E 1 · IMDG 2.3.2.5 (<= 30 l)

**Hazard label(s) :**



3

**Air transport (ICAO-TI / IATA-DGR)**

**Class(es) :** 3  
**Special provisions :** E 1  
**Hazard label(s) :**



3

## 14.4 Packing group

III

## 14.5 Environmental hazards

**Land transport (ADR/RID) :** No  
**Sea transport (IMDG) :** No  
**Air transport (ICAO-TI / IATA-DGR) :** No

## 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

### 15.3 Additional information

EU limit value for this product (cat. A/d): 300 g/l.

## SECTION 16: Other information

### 16.1 Indication of changes

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. Respiratory or skin sensitisation - Skin sensitisation · 11. Respiratory or skin sensitisation - Sensitisation to the respiratory tract

## 16.2 Abbreviations and acronyms

a.i. = Active ingredient  
ACGIH = American Conference of Governmental Industrial Hygienists (US)  
ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road  
AFFF = Aqueous Film Forming Foam  
AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC)  
AOAC = AOAC International (formerly Association of Official Analytical Chemists)  
aq. = Aqueous  
ASTM = American Society of Testing and Materials (US)  
atm = Atmosphere(s)  
B.V. = Beperkt Vennootschap (Limited)  
BCF = Bioconcentration Factor  
bp = Boiling point at stated pressure  
bw = Body weight  
ca = (Circa) about  
CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)  
CEFIC = European Chemical Industry Council (established 1972)  
CIPAC = Collaborative International Pesticides Analytical Council  
CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Conc = Concentration  
cP = CentiPoise  
cSt = Centistokes  
d = Day(s)  
DIN = Deutsches Institut für Normung e.V.  
DNEL = Derived No-Effect Level  
DT50 = Time for 50% loss; half-life  
EbC50 = Median effective concentration (biomass, e.g. of algae)  
EC = European Community; European Commission  
EC50 = Median effective concentration  
EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number)  
ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)  
ErC50 = Median effective concentration (growth rate, e.g. of algae)  
EU = European Union  
EWC = European Waste Catalogue  
FAO = Food and Agriculture Organization (United Nations)  
GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International)  
h = Hour(s)  
hPa = HectoPascal (unit of pressure)  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IC50 = Concentration that produces 50% inhibition  
IMDG Code = International Maritime Dangerous Goods Code  
IMO = International Maritime Organization  
ISO = International Organization for Standardization  
IUCLID = International Uniform Chemical Information Database  
IUPAC = International Union of Pure and Applied Chemistry  
kg = Kilogram  
Kow = Distribution coefficient between n-octanol and water  
kPa = KiloPascal (unit of pressure)  
LC50 = Concentration required to kill 50% of test organisms  
LD50 = Dose required to kill 50% of test organisms

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

LEL = Lower Explosive Limit/Lower Explosion Limit  
LOAEL = Lowest observed adverse effect level  
mg = Milligram  
min = Minute(s)  
ml = Milliliter  
mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa)  
mp = Melting point  
MRL = Maximum Residue Limit  
MSDS = Material Safety Data Sheet  
n.o.s. = Not Otherwise Specified  
NIOSH = National Institute for Occupational Safety and Health (US)  
NOAEL = No Observed Adverse Effect Level  
NOEC = No observed effect concentration  
NOEL = No Observable Effect Level  
NOx = Oxides of Nitrogen  
OECD = Organization for Economic Cooperation and Development  
OEL = Occupational Exposure Limits  
Pa = Pascal (unit of pressure)  
PBT = Persistent, Bioaccumulative or Toxic  
pH = -log<sub>10</sub> hydrogen ion concentration  
pKa = -log<sub>10</sub> acid dissociation constant  
PNEC = Previsible Non Effect Concentration  
POPs = Persistent Organic Pollutants  
ppb = Parts per billion  
PPE = Personal Protection Equipment  
ppm = Parts per million  
ppt = Parts per trillion  
PVC = Polyvinyl Chloride  
QSAR = Quantitative Structure-Activity Relationship  
REACH = Registration, Evaluation and Authorization of Chemicals (EU, see NCP)  
SI = International System of Units  
STEL = Short-Term Exposure Limit  
tech. = Technical grade  
TSCA = Toxic Substances Control Act (US)  
TWA = Time-Weighted Average  
vPvB = Very Persistent and Very Bioaccumulative  
WHO = World Health Organization = OMS  
y = Year(s)

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification of mixtures and applied evaluation method in accordance with regulation (EC) Nr. 1272/2008 [CLP] has been appointed in section 2.1

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

HOME  
MADE  
BY \_\_\_\_\_

**Trade name :** 14 NATURE EXT. FULL GLOSS LINSEED LACQ.  
**Revision date :** 22.04.2020  
**Print date :** 14-07-2020

**Version (Revision) :** 2.1.0 (2.0.0)

---

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---