

Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

25 INTERIOR PRIMER WATERBASED LACQUER

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Primer
- 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Home Made By Netherlands B.V.

Street : Jan van Gentstraat 20

Postal code/city: 1171 GL BADHOEVEDORP

Telephone : 020-4711734

Information contact : klantenservice@homemadeby.nl

1.4 Emergency Telephone Number:

020-4711735 Outside office hours: call a Poison Center or doctor/physician.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Special rules for supplemental label elements for certain mixtures

EUH208Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACTION MASS OF: 5-CHLORO-2-METHYL-4-
ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1).May produce an
allergic reaction.EUH210Safety data sheet available on request.

Remark

The specific concentration limits for the mixture of (3: 1) 5-chloro-2-methyl-2h-isothiazol-3-one and 2-methyl-2h-isothiazol-3-one (CAS 55965-84-9) and for 2 -methylisothiazole-3 (2h) -one (CAS 2682-20-4 2) are set at \geq 0.0015% for Skin Sensitization 1A (H317). This product contains neither substance at a concentration of \geq 0.0015%, so it is not classified as a skin sensitizer.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

2-(2-BUTOXYETHOXY)ETHANOL ; EC No. : 203-961-6; CAS No. : 112-34-5 Weight fraction : $\geq 1 - < 2,5 ~\%$

Page : 1 / 9



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

Additional information

Full text of H- and EUH-phrases: see section 16.

Components according to regulation (EG) Nr. 648/2004

None

SECTION 4: First aid measures

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

4.1 Description of first aid measures

Following inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. When in doubt or if symptoms are observed, get medical advice.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

Self-protection of the first aider

First aider: Pay attention to self-protection!

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Foam, Carbon dioxide (CO2), Extinguishing powder, Water.

5.2 Special hazards arising from the substance or mixture Heating causes rise in pressure with risk of bursting. Hazardous combustion products Carbon monoxide Carbon dioxide (CO2) (dense) black smoke, Organic acids aldehydes.

5.3 Advice for firefighters Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 **Personal precautions, protective equipment and emergency procedures** See protective measures under point 7 and 8.



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

6.2 Environmental precautions

Use appropriate container to avoid environmental contamination.

6.3 Methods and material for containment and cleaning up

Prevent leaks and prevent soil / water pollution caused by leaks. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection SECTION 13: Disposal considerations

SECTION 7: Handling and storage

Take care for general good hygiene and housekeeping.

7.1 Precautions for safe handling

Protective measures Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before eating, drinking or smoking. Immediately remove any contaminated clothing, shoes or stockings.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container at temperature not exceeding 40 $^{\circ}$ C.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5

Limit value type (country of origin) :	STEL (EC)
Limit value :	15 ppm / 101,2 mg/m ³
Version :	20-06-2019
Limit value type (country of origin) :	TWA (EC)
Limit value :	10 ppm / 67,5 mg/m ³
Version :	20-06-2019
_	

8.2 Exposure controls

Appropriate engineering controls

Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Hand protection

Suitable gloves type Protective gloves according to DIN EN 374 NBR (Nitrile rubber) Thickness > 0,4 mm;



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

Breakthrough time (maximum wearing time) > 480 min. Check protective gloves before each use concerning their normal condition.

8.3 Additional information

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour : No information available.

Odour : Noticeable.

Safety characteristics

Physical state :			Liquid	
Melting point/freezing point :			not relevant	
Freezing point :			not relevant	
Initial boiling point and boiling range :			No data available	
Decomposition temperature :			No data available	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Density - dependent of color:	(20 °C)		No data available	
Relative density :	(20 °C)		1,2 - 1,22	(Water = 1)
Water solubility :	(20 °C)		No data available	
рН :			8 - 8,5	
log P O/W :			No data available	
Viscosity :	(20 °C)	approx.	1300	mPa*s
Cinematic viscosity :	(40 °C)		No data available	
Odour threshold :			No data available	
Relative vapour density :	(20 °C)		No data available	
Vapourisation rate :			No data available	
VOC-value :		approx.	18	g/I VOC
Flammable solids :	Not applicable.			
Flammable gases :	Not applicable.			
Oxidising liquids :	Not relevant.			
Explosive properties :	Not relevant.			

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability No information available.

10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid No information available.



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER
Revision date :	09.04.2020
Print date :	13-07-2020

Version (Revision) :

5.0.0 (4.1.0)

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Corrosion

Irritation to respiratory tract

No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No information available. Germ cell mutagenicity No information available. Reproductive toxicity No information available.

STOT-single exposure No information available.

STOT-repeated exposure

No information available.

Aspiration hazard

No information available.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.
- **12.4 Mobility in soil** No information available.
- **12.5 Results of PBT and vPvB assessment** No information available.
- **12.6 Other adverse effects** No information available.
- 12.7 Additional ecotoxicological information None

SECTION 13: Disposal considerations



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

13.1 Waste treatment methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

None

15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

15.3 Additional information

EU limit value for this product (cat. A/d): 130 g/l.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazard components for labelling · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 11. Irritation to respiratory tract · 11. Carcinogenicity · 11. Germ cell mutagenicity · 15. Restrictions on use

16.2 Abbreviations and acronyms

- a.i. = Active ingredient
- ACGIH = American Conference of Governmental Industrial Hygienists (US)

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AFFF = Aqueous Film Forming Foam



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC) AOAC = AOAC International (formerly Association of Official Analytical Chemists) aq. = Aqueous ASTM = American Society of Testing and Materials (US) atm = Atmosphere(s)B.V. = Beperkt Vennootschap (Limited) BCF = Bioconcentration Factor bp = Boiling point at stated pressure bw = Body weight ca = (Circa) about CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) CEFIC = European Chemical Industry Council (established 1972) CIPAC = Collaborative International Pesticides Analytical Council CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Conc = Concentration cP = CentiPoise cSt = Centistokes d = Day(s)DIN = Deutsches Institut für Normung e.V. DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC = European Community; European Commission EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number) ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EU = European Union EWC = European Waste Catalogue FAO = Food and Agriculture Organization (United Nations) GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International) h = Hour(s)hPa = HectoPascal (unit of pressure) IARC = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG Code = International Maritime Dangerous Goods Code IMO = International Maritime Organization ISO = International Organization for Standardization IUCLID = International Uniform Chemical Information Database IUPAC = International Union of Pure and Applied Chemistry kg = Kilogram Kow = Distribution coefficient between n-octanol and water kPa = KiloPascal (unit of pressure) LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level mg = Milligram min = Minute(s)ml = Milliliter mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa) mp = Melting point



Trade name :	25 INTERIOR PRIMER WATERBASED LACQUER		
Revision date :	09.04.2020	Version (Revision) :	5.0.0 (4.1.0)
Print date :	13-07-2020		

MRL = Maximum Residue Limit MSDS = Material Safety Data Sheet n.o.s. = Not Otherwise Specified NIOSH = National Institute for Occupational Safety and Health (US) NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level NOx = Oxides of Nitrogen OECD = Organization for Economic Cooperation and Development OEL = Occupational Exposure Limits Pa = Pascal (unit of pressure) PBT = Persistent, Bioaccumulative or Toxic pH = -log10 hydrogen ion concentration pKa = -log10 acid dissociation constant PNEC = Previsible Non Effect Concentration POPs = Persistent Organic Pollutants ppb = Parts per billion PPE = Personal Protection Equipment ppm = Parts per million ppt = Parts per trillion PVC = Polyvinyl Chloride QSAR = Quantitative Structure-Activity Relationship REACH = Registration, Evaluation and Authorization of CHemicals (EU, see NCP) SI = International System of Units STEL = Short-Term Exposure Limit tech. = Technical grade TSCA = Toxic Substances Control Act (US) TWA = Time-Weighted Average vPvB = Very Persistent and Very Bioacccumulative WHO = World Health Organization = OMS y = Year(s)

16.3 Key literature references and sources for data

None

$_{16.4}$ Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification of mixtures and applied evaluation method in accordance with regulation (EC) Nr. 1272/2008 [CLP] has been appointed in section 2.1

16.5 Relevant H- and EUH-phrases (Number and full text) H319

Causes serious eye irritation.

- 16.6 Training advice
 - None
- 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Trade name : Revision date : Print date : 25 INTERIOR PRIMER WATERBASED LACQUER 09.04.2020 13-07-2020

Version (Revision) :

5.0.0 (4.1.0)