

| Trade name :    | 27 INTERIOR SILK WATERBASED LACQUER |                      |               |
|-----------------|-------------------------------------|----------------------|---------------|
| Revision date : | 22.04.2020                          | Version (Revision) : | 6.0.0 (5.0.0) |
| Print date :    | 13-07-2020                          |                      |               |
|                 |                                     |                      |               |

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

27 INTERIOR SILK WATERBASED LACQUER

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Topcoat

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Home Made By Netherlands B.V.

**Street :** Jan van Gentstraat 20

Postal code/city: 1171 GL BADHOEVEDORP

Telephone : 020-4711734

Information contact : klantenservice@homemadeby.nl

# **1.4 Emergency Telephone Number:**

020-4711735 Outside office hours: call a Poison Center or doctor/physician.

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

#### None

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Special rules for supplemental label elements for certain mixtures

EUH208Contains 2,4,7,9-TETRAMETHYLDEC-5-YNE-4,7-DIOL ; 1,2-BENZISOTHIAZOL-3(2H)-ONE ;<br/>REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -<br/>ISOTHIAZOL-3-ONE (3:1).May produce an allergic reaction.EUH210Safety data sheet available on request.

#### Remark

The specific concentration limits for the mixture of (3: 1) 5-chloro-2-methyl-2h-isothiazol-3-one and 2-methyl-2h-isothiazol-3-one (CAS 55965-84-9) and for 2 -methylisothiazole-3 (2h) -one (CAS 2682-20-4 2) are set at  $\geq$  0.0015% for Skin Sensitization 1A (H317). This product contains neither substance at a concentration of  $\geq$  0.0015%, so it is not classified as a skin sensitizer.

### 2.3 Other hazards

None

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

This mixture does not contain any substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 67/548/EEC or Regulation (EC) No 1272/2008, assigned a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List.



Trade name : Revision date : Print date :

#### 27 INTERIOR SILK WATERBASED LACQUER 22.04.2020 13-07-2020

Version (Revision) :

6.0.0 (5.0.0)

#### **Hazardous ingredients**

None

# Components according to regulation (EG) Nr. 648/2004

None

#### **SECTION 4: First aid measures**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

#### 4.1 Description of first aid measures

#### **Following inhalation**

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### **4.2 Most important symptoms and effects, both acute and delayed** No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Foam, Carbon dioxide (CO2), Extinguishing powder, Water.

5.2 Special hazards arising from the substance or mixture Heating causes rise in pressure with risk of bursting. Hazardous combustion products Carbon monoxide Carbon dioxide (CO2) (dense) black smoke, Organic acids aldehydes.

### 5.3 Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

6.1 **Personal precautions, protective equipment and emergency procedures** See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Use appropriate container to avoid environmental contamination.

Page : 2 / 8



| Trade name :    | 27 INTERIOR SILK WATERBASED LACQUER |                      |               |
|-----------------|-------------------------------------|----------------------|---------------|
| Revision date : | 22.04.2020                          | Version (Revision) : | 6.0.0 (5.0.0) |
| Print date :    | 13-07-2020                          |                      |               |

## 6.3 Methods and material for containment and cleaning up

Prevent leaks and prevent soil / water pollution caused by leaks. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection SECTION 13: Disposal considerations

### **SECTION 7: Handling and storage**

Take care for general good hygiene and housekeeping.

## 7.1 Precautions for safe handling

Protective measures Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before eating, drinking or smoking. Immediately remove any contaminated clothing, shoes or stockings.

### 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container at temperature not exceeding 40  $^{\circ}$ C.

#### 7.3 Specific end use(s)

None

#### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### None

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

### Personal protection equipment

#### Eye/face protection

#### Suitable eye protection

Eye glasses with side protection.

#### **Skin protection**

Only wear fitting, comfortable and clean protective clothing.

#### Hand protection

Suitable gloves type Protective gloves according to DIN EN 374 NBR (Nitrile rubber) Thickness > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min. Check protective gloves before each use concerning their normal condition.

#### 8.3 Additional information

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**Colour :** No information available.



| Trade name :<br>Revision date :<br>Print date :                                                                                                                                                    | 27 INTERIOR<br>22.04.2020<br>13-07-2020                            | SILK WATERBAS | ED LACQUER | Version (Rev                                                                                                                              | ision) :          | 6.0.0 (5.0.0) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------|
| Odour : Notic                                                                                                                                                                                      | ceable.                                                            |               |            |                                                                                                                                           |                   |               |
| Safety charac                                                                                                                                                                                      | teristics                                                          |               |            |                                                                                                                                           |                   |               |
| Physical state :<br>Melting point/free<br>Freezing point :<br>Initial boiling poin<br>range :<br>Decomposition te<br>Lower explosion I<br>Upper explosion I<br>Density - depende<br>Bulk density : | ezing point :<br>nt and boiling<br>mperature :<br>imit :<br>imit : | (20 ℃)        |            | Liquid<br>not relevant<br>not relevant<br>No data available<br>No data available<br>No data available<br>1,31 - 1,33<br>No data available | g/cm <sup>3</sup> |               |
| Relative density :                                                                                                                                                                                 |                                                                    | (20 °C)       |            | 1,31 - 1,33                                                                                                                               | (Water = 1)       |               |
| Water solubility :<br>pH :<br>log P O/W :<br>Viscosity :                                                                                                                                           |                                                                    | (20 ℃)        | approx.    | No data available<br>8 - 8,5<br>No data available<br>1200                                                                                 | mPa*s             |               |

approx.

No data available

No data available

No data available

No data available

71 g/l VOC

(40 °C)

(20 °C)

Not applicable.

Not applicable.

Not relevant.

Not relevant.

9.2 Other information

VOC-value :

None

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No information available.

Cinematic viscosity :

Vapourisation rate :

Flammable solids :

Flammable gases :

Oxidising liquids :

Explosive properties :

Relative vapour density :

Odour threshold :

- 10.2 Chemical stability
- No information available. 10.3 Possibility of hazardous reactions
- No information available. **10.4 Conditions to avoid**
- No information available.
- **10.5 Incompatible materials** No information available.
- **10.6 Hazardous decomposition products** No information available.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects



Trade name : Revision date : Print date : 27 INTERIOR SILK WATERBASED LACQUER 22.04.2020 13-07-2020

Version (Revision) :

6.0.0 (5.0.0)

#### Acute toxicity

Acute inhalation toxicity No information available.

Corrosion

**Irritation to respiratory tract** No information available.

#### **Respiratory or skin sensitisation**

Skin sensitisation No information available. Sensitisation to the respiratory tract

No information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No information available. Germ cell mutagenicity No information available. Reproductive toxicity No information available.

#### STOT-single exposure

No information available.

#### STOT-repeated exposure

### No information available.

Aspiration hazard

No information available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.
- **12.4 Mobility in soil** No information available.
- **12.5 Results of PBT and vPvB assessment** No information available.
- **12.6 Other adverse effects** No information available.
- 12.7 Additional ecotoxicological information None

# **SECTION 13: Disposal considerations**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Page : 5 / 8



| Trade name :           |  |  |
|------------------------|--|--|
| <b>Revision date :</b> |  |  |
| Print date :           |  |  |

#### 27 INTERIOR SILK WATERBASED LACQUER 22.04.2020 13-07-2020

Version (Revision) :

6.0.0 (5.0.0)

## 13.1 Waste treatment methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

- **14.2 UN proper shipping name** No dangerous good in sense of these transport regulations.
- 14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.

# 14.4 Packing group

No dangerous good in sense of these transport regulations.

- 14.5 Environmental hazards No dangerous good in sense of these transport regulations.
- 14.6 Special precautions for user

None

### **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

None

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

#### **15.3 Additional information**

EU limit value for this product (cat. A/d): 130 g/l.

## **SECTION 16: Other information**

#### 16.1 Indication of changes

02. Special rules for supplemental label elements for certain mixtures  $\cdot$  11. Acute inhalation toxicity  $\cdot$  11. Irritation to respiratory tract  $\cdot$  11. Respiratory or skin sensitisation - Skin sensitisation  $\cdot$  11. Respiratory or skin sensitisation - Sensitisation to the respiratory tract

### 16.2 Abbreviations and acronyms

a.i. = Active ingredient

ACGIH = American Conference of Governmental Industrial Hygienists (US)

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road

AFFF = Aqueous Film Forming Foam

AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC) AOAC = AOAC International (formerly Association of Official Analytical Chemists)

aq. = Aqueous



| Trade name :    | 27 INTERIOR SILK WATERBASED LACQUER |                      |               |
|-----------------|-------------------------------------|----------------------|---------------|
| Revision date : | 22.04.2020                          | Version (Revision) : | 6.0.0 (5.0.0) |
| Print date :    | 13-07-2020                          |                      |               |
|                 |                                     |                      |               |

ASTM = American Society of Testing and Materials (US) atm = Atmosphere(s)B.V. = Beperkt Vennootschap (Limited) BCF = Bioconcentration Factor bp = Boiling point at stated pressure bw = Body weight ca = (Circa) about CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) CEFIC = European Chemical Industry Council (established 1972) CIPAC = Collaborative International Pesticides Analytical Council CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Conc = Concentration cP = CentiPoise cSt = Centistokes d = Day(s)DIN = Deutsches Institut für Normung e.V. DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC = European Community; European Commission EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number) ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EU = European Union EWC = European Waste Catalogue FAO = Food and Agriculture Organization (United Nations) GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International) h = Hour(s)hPa = HectoPascal (unit of pressure)IARC = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG Code = International Maritime Dangerous Goods Code IMO = International Maritime Organization ISO = International Organization for Standardization IUCLID = International Uniform Chemical Information Database IUPAC = International Union of Pure and Applied Chemistry ka = Kiloaram Kow = Distribution coefficient between n-octanol and water kPa = KiloPascal (unit of pressure) LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level mg = Milligram min = Minute(s)ml = Milliliter mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa) mp = Melting point MRL = Maximum Residue Limit MSDS = Material Safety Data Sheet n.o.s. = Not Otherwise Specified



| Trade name :    | 27 INTERIOR SILK WATERBASED LACQUER |                      |               |
|-----------------|-------------------------------------|----------------------|---------------|
| Revision date : | 22.04.2020                          | Version (Revision) : | 6.0.0 (5.0.0) |
| Print date :    | 13-07-2020                          |                      |               |

NIOSH = National Institute for Occupational Safety and Health (US) NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level NOx = Oxides of Nitrogen OECD = Organization for Economic Cooperation and Development OEL = Occupational Exposure Limits Pa = Pascal (unit of pressure) PBT = Persistent, Bioaccumulative or Toxic pH = -log10 hydrogen ion concentration pKa = -log10 acid dissociation constant PNEC = Previsible Non Effect Concentration POPs = Persistent Organic Pollutants ppb = Parts per billion PPE = Personal Protection Equipment ppm = Parts per million ppt = Parts per trillion PVC = Polyvinyl Chloride QSAR = Quantitative Structure-Activity Relationship REACH = Registration, Evaluation and Authorization of CHemicals (EU, see NCP) SI = International System of Units STEL = Short-Term Exposure Limit tech. = Technical grade TSCA = Toxic Substances Control Act (US) TWA = Time-Weighted Average vPvB = Very Persistent and Very Bioacccumulative WHO = World Health Organization = OMS y = Year(s)

# 16.3 Key literature references and sources for data

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification of mixtures and applied evaluation method in accordance with regulation (EC) Nr. 1272/2008 [CLP] has been appointed in section 2.1

### 16.5 Relevant H- and EUH-phrases (Number and full text)

# 16.6 Training advice

None

None

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.